



MARINE TESTING SOLUTIONS

Test Strips

Tel: +44 (0)1903 778718
enquiries@marinetestingsolutions.com
www.marinetestingsolutions.com

Marine Testing Solutions Ltd
Unit C1, Rudford Ind Estate
Ford Road
Ford
West Sussex
BN18 0BD



Test Strips

Our Test Strips provide a fast, easy, and reliable way to measure key water quality parameters. Designed for professionals and non-technical users alike, these strips deliver accurate results within seconds, making them ideal for on-site testing. Compact and portable, they are suitable for a wide range of applications, from industrial systems to environmental monitoring.

- Relatively Hazard free.
- Rapid and easy tests.
- Always to hand.
- Semi quantitative results.

Test strips offer quick, clean results without the fuss of reagents or tablets. Their dip and compare method makes them a popular choice for many applications where speed and simplicity are most important.



If the parameter or range you require is not listed please contact us for more options.

Tel: +44 (0)1903 778718
enquiries@marinetestingsolutions.com
www.marinetestingsolutions.com

Marine Testing Solutions Ltd
Unit C1, Rudford Ind Estate
Ford Road
Ford
West Sussex
BN18 0BD



Description	Range	Scale	QTY
Ammonia	0 to 5 mg/l	0, 0.2, 1, 2, 5	25
Ammonia	10 to 400 mg/l	10, 30, 60, 100, 200, 400	100
Bromine	0 to 5 mg/l	(a) 0, 0.05, 0.1, 0.25, 0.5 0.75 (b) 0, 0.5, 1, 2, 3, 4, 5	50
Chloride	0 to 500 mg/l	0, 50, 100, 250, 500	50
Chlorine Free	0 to 5 mg/l	0, 0.5, 1, 3, 5	50
Chlorine Free	0 to 6 mg/l	0, 0.05, 0.1, 0.2, 0.4, 0.6, 0.8, 1.2, 1.5, 2, 2.6, 4, > 6	50
Chlorine Total	0 to 10 mg/l	0, 0.05, 0.1, 0.15, 0.2, 0.5, 0.8, 1, 4, 10	50
Chlorine Total Test Strips	0 to 200 mg/l	10, 50, 100, 200	100
Chlorine Total	0 to 200 mg/l	10, 50, 100, 200	4.5m
Chlorine Free	0 to 300 mg/l	0, 25, 50, 100, 200, 300	50
Chlorine Dioxide LR	0 to 1.6 mg/l	a) 0, 0.1, 0.2, 0.4, 0.6, 0.8, 1, 1.2, 1.4, 1.6 b) <0.01, 0.15, 0.2, > 0.3, 0.2, > 0.4	50
Chlorine Dioxide HR	0 to 100 mg/l	0.5, 2, 5, 10, 25, 50, 100	50
Copper	0 to 2 mg/l	0, 0.05, 0.1, 0.2, 0.4, 1, 2	25
Copper	0 to 5 mg/l	0, 0.5, 1, 2, 5	25
Hardness, Total	0 to 1000 mg/l	0, 40, 80, 120, 180, 250, 425, 1000	50
Hardness, Total	0 to 500 mg/l	0, 50, 125, 250, 500	50
Hydrogen Peroxide LR	0 to 100 mg/l	0, 0.5, 2, 5, 10, 25, 50, 100	50
Hydrogen Peroxide HR	0 to 400 mg/l	0, 100, 200, 400	50
Hydrogen Peroxide HR	0 to 1000 mg/l	0, 50, 150, 300, 500, 800, 1000	100
Nitrate (as N)	0 to 50 mg/l	0, 0.5, 2, 5, 10, 20, 50	50
Nitrate (as N)	0 to 10 mg/l	0, 0.15, 0.3, 1, 1.5, 3, 10	50
Nitrate (as NO3)	10 to 500 mg/l	0, 10, 25, 50, 100, 250, 500	100
Nitrite (as NO2)	1 to 80 mg/l	0, 1, 5, 10, 20, 40, 80	100
Oil Test Papers	Yes / No	Detection of oil in water and / or soil	100
Peracetic Acid	0 to 500 mg/l	0, 100, 250, 500	50
Potassium Iodide Reel	Yes / No	5 m reel with dispenser	5m
Potassium Iodide Refill	Yes / No	pack of 3 x (5 m) reels	3 x 5 m
Potassium Iodide Starch	5 to 100 mg/l	Lower level 5 mg/l upper level 100 mg/l	100
pH	0 to 6 pH	0, 0.5, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6,	100
pH	0 to 14 pH	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14	100
pH	6 to 10 pH	6, 6.4, 6.7, 7, 7.3, 7.6, 7.9, 8.2, 8.4, 8.6, 8.8, 9.1, 9.5, 10	100
pH	7 to 10 pH	7, 7.5, 8, 8.5, 9, 9.5, 10	100
pH	7 to 14 pH	7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14	100
pH	4.5 to 10 pH	4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10	100
Starch Iodide	Yes / No	10 books, 20 strips per book	10 x 20
Sulphite	0 to 500 mg/l	10, 50, 100, 250, 500	50
Zinc	0 to 100 mg/l	0, 2, 5, 10, 20, 40, 100	50